



12 MY KORANDO SPECIFICATION & EQUIPMENT	2.0 S	2.0 ES	2.0 EX
	2WD	2WD	4WD
<b>Convenience / Easy Operation</b>			
Cruise control	S	S	S
Trip computer	S	S	S
Electric windows (front & rear)	S	S	S
Heated & electrically adjustable door mirrors with puddle lamp and LED side repeaters	S	S	S
Automatic dimming interior rear view mirror	X	S	S
Automatic power folding door mirrors	X	S	S
Leather steering wheel	S	S	S
Leather gear stick knob	S	S	S
Headlight levelling system	S	S	S
Centre storage console	S	S	S
Sunroof	X	S	S
Heated windscreen for wiper defrost	S	S	S
Solar control glass	X	S	S
Privacy glass - rear doors and tail gate	X	S	S
Tinted Glass	S	X	X
Reverse parking sensors	S	S	S
<b>Exterior</b>			
16" alloy wheels	S	X	X
17" alloy wheels	X	S	S
Roof-rails	S	S	S
Air Spoiler	X	X	S
<b>Safety</b>			
ABS (Anti-lock Breaking System) with EBD (Electronic Brake Distribution)	S	S	S
ESP (Electronic Stability Programme) with ARP (Active Rollover Protection)	S	S	S
HSA (Hill Start Assist)	S	S	S
Emergency stop signal	S	S	S
Door impact beams	S	S	S
Dual front airbags with passenger airbag off switch	S	S	S
Front seat side airbags	S	S	S
Side curtain airbags	S	S	S
Front seat belt pretensioners with load limiting	S	S	S
Active front seat headrests	S	S	S
Electric power assisted steering	S	S	S
Day time running lights	S	S	S
Front fog lights	S	S	S
High mounted brake light	S	S	S
Rear wiper	S	S	S
Thatcham approved alarm & immobiliser	S	S	S
Remote - keyless entry	S	S	S
Seatbelt reminder	S	S	S
<b>Climate &amp; Heating</b>			
Manual air conditioning	S	X	X
Automatic climate control	X	S	S
<b>Audio System</b>			
Steering wheel audio controls	S	S	S
6 speaker dynamic audio system	S	S	S
Kenwood Single DIN MP3 CD & RDS Radio with iPod & Bluetooth connectivity	S	S	S
Kenwood 6.1" Touch-screen Garmin Sat Nav, MP3 CD/DVD with iPod & Bluetooth connectivity	O	O	O
<b>Seating &amp; Comfort</b>			
Number of Seats	5	5	5
Luxury cloth upholstery	S	X	X
Leather upholstery	X	S	S
Electric adjustable drivers seat	X	S	S
Heated front and rear seats	X	S	S
Child seat anchorage ISOFIX	S	S	S
Driver lumbar support	S	S	S
60:40 split folding rear seat	S	S	S
Luggage cover & net barrier	S	S	S
Front sun visors with illuminated passenger mirror	S	S	S
<b>Mechanical</b>			
AWD 4 wheel drive with Smart Lock	X	X	S
6 speed manual transmission with dual mass flywheel	S	O	O
DSI 6-speed T-Tronic automatic transmission	X	O	O
Standard = s Optional = o Not Available = x			



## 12 MY KORANDO TECHNICAL DATA

Model	2.0 S & ES		2.0 EX	
Final Drive Arrangement	2WD FWD	2WD FWD auto	4WD AWD	4WD AWD auto
<b>Engine Data</b>				
No. and arrangement of cylinders	4 in-line			
Engine Capacity	1998			
Fuel	Diesel			
Exhaust System	Catalyst and Diesel Particulate Filter			
Emission standard	Euro V			
Maximum power (Ps / rpm)	175 / 4000			
Maximum torque (Nm / rpm)	360 / 2000 - 3000			
Maximum speed (mph)	112	116	112	116
0 to 62 mph (s)	9.9			
CO2 g/km	157	194	169	199
<b>fuel consumption * mpg (ℓ/100km)</b>				
urban conditions	37.7 (7.5)	30.0 (9.4)	35.8 (7.9)	29.5 (9.6)
extra-urban conditions	55.4 (5.1)	46.3 (6.1)	51.4 (5.5)	44.9 (6.3)
combined	47.1 (6.0)	38.7 (7.3)	44.1 (6.4)	37.7 (7.5)
<b>Dimensions</b>				
Length (mm)	4410			
Width (mm)	1830			
Height (mm)	1710			
Wheel base (mm)	2650			
Min turning circle (M)	5.4			
Front Axle track (mm)	1573			
Rear Axle track (mm)	1559			
Front overhang (mm)	920			
Rear overhang (mm)	840			
Approach angle (degrees)	22.8			
Departure angle (degrees)	28.2			
Ramp angle (degrees)	18.5			
Fuel Tank Capacity (Litres)	57			
Luggage space capacity (litres)	404			
<b>Weights</b>				
Kerb Weight (kg)	1666	1686	1747	1767
Gross Vehicle Weight (kg)	2180	2180	2260	2260
Braked trailer ** (kg)	2000			
Unbraked trailer (kg)	750			
Tow Ball Max Weight (kg)	80			
Tyres	For S - 215/65R16 98H 6.5J x 16		225/60R17 98H 6.5J x 17	
	For ES - 225/60R17 98H 6.5J x 17			
<b>Mechanical</b>				
Transmission	6 speed manual	6 speed auto	6 speed manual	6 speed auto tiptronic
Steering	Electric power assisted rack and pinion			
Suspension (Front/Rear)	McPherson Strut / Independent			
Brakes (Front/Rear)	Vented disc / Solid disc			
Insurance Group	19			

Note \* - A guide on fuel economy and CO<sub>2</sub> emissions which contains data for all new passenger car models is available at any point of sale free of charge. In addition to the fuel efficiency of a car, driving behaviour as well as other non-technical factors play a role in determining a car's fuel consumption and CO<sub>2</sub> emissions. CO<sub>2</sub> is the main greenhouse gas responsible for global warming.

Note \*\* - At maximum towing weight the trailer must have remote braking capability.

The manufacturer reserves the right to change specification at any time. Please check with your local dealer for the latest information and offers.



<b>12 MY REXTON SPECIFICATION &amp; EQUIPMENT</b>	<b>270 S</b>	<b>270 EX</b>
<b>Convenience / Easy Operation</b>		
Cruise control	S	S
Electric windows (front & rear)	S	S
Power folding door mirrors	X	S
Auto tilt mirrors to aid parking when reversing	X	S
Electronically adjustable and heated door mirrors	S	S
Sunroof with anti-trap function	X	S
Leather steering wheel	S	S
Leather gear stick knob	S	S
Headlight levelling system	S	S
Overhead drop-down sunglasses compartment	S	S
Centre storage console	S	S
12V DC power outlets x 3	S	S
Cup holders (front & rear)	S	S
Metal grain inserts	S	S
Battery saver	S	S
Reverse parking sensors	O	O
<b>Exterior</b>		
Rear air spoiler	O	O
16" alloy wheels	S	X
18" alloy wheels	X	S
Roof-rails	S	S
Side steps	O	S
Privacy glass - rear doors, quarter and tail gate	O	S
Two Tone Colour Side garnish	X	S
<b>Safety</b>		
ABS (Anti-lock Braking System) with EBD (Electronic Brake Distribution)	S	S
ESP (Electronic Stability Programme) with ARP (Active Rollover Protection)	S	S
HDC (Hill Descent Control)	S	S
Door impact beams	S	S
Dual airbags (front)	S	S
Side air bags (front)	X	S
Disc brakes on all 4 wheels	S	S
Power assisted steering	S	S
Thatcham approved alarm & immobiliser	S	S
Remote - keyless entry	S	S
Fog lights (front & rear)	S	S
High mounted brake light	S	S
Rear wiper	S	S
Speed-sensing door locks	S	S
Space Saver spare wheel	S	S
Heated windscreen glass	S	S
Seatbelt reminder	S	S
<b>Climate &amp; Heating</b>		
Automatic climate control & air conditioning	S	S
Dual air conditioning - 3rd row seating outlets	S	S
<b>Audio System</b>		
Steering wheel audio controls	S	S
6 speaker dynamic audio system	S	S
Kenwood Single DIN MP3 CD & RDS Radio with iPod & Bluetooth connectivity	S	S
Kenwood 6.1" Touch-screen Garmin Sat Nav, MP3 CD/DVD with iPod & Bluetooth connectivity	O	O
<b>Seating &amp; Comfort</b>		
Number of seats	7	7
Leather upholstery	X	S
Variable heated seats (driver and front passenger)	X	S
Electronically adjustable driver seat with 3 memory settings	X	S
Electronically adjustable passenger seat	X	S
Front seat 4-way head restraints	S	S
60:40 split folding 2nd row of seats	S	S
Front sun visors with illuminated passenger mirror	S	S
<b>Mechanical</b>		
Torque-on-demand (TOD) 4WD	S	S
5-speed manual transmission with dual mass flywheel	O	X
Mercedes Benz 5-speed T-Tronic automatic	O	S
Standard = s    Optional = o    Not Available = x		



<b>12 MY REXTON TECHNICAL DATA</b>			
<b>Model</b>	<b>270 S</b>	<b>270 S auto</b>	<b>270 EX auto</b>
Engine Type	5 Cylinder DOHC Common Rail		
Capacity	2,696		
Fuel	Diesel		
Exhaust System	Catalyst and Diesel Particulate Filter		
Emission standard	Euro IV		
Bore	86.2		
Stroke	92.4		
Compression Ratio	17.5:1		
Maximum Power Output (ps/rpm)	165 / 4,000		
Maximum Torque (Nm/rpm)	340 / 1,800 - 3,250		
Maximum Speed (mph)	112	112	112
CO2 Emissions (g/km)	229	250	250
<b>Fuel Consumption mpg (l/100km)*</b>			
Urban	23.3 (12.1)	21.6 (13.1)	21.6 (13.1)
Extra-urban	42.2 (6.7)	38.2 (7.4)	38.2 (7.4)
Combined	32.8 (8.6)	30.1 (9.4)	30.1 (9.4)
<b>Dimensions</b>			
Overall Length (mm)	4,720		
Overall Height with Roof Rails (mm)	1,830		
Overall Width (mm)	1,870		
Wheel Base (mm)	2,820		
Front Track (mm)	1,550		
Rear Track (mm)	1,540		
Approach angle (degrees)	28.0		
Departure angle (degrees)	25.5		
Ramp angle (degrees)	22.5		
Minimum turning Radius (m)	5.7		
Fuel Tank Capacity (Litres)	80		
<b>Boot Space</b>			
Length (mm)	1,088		
Width (mm)	1,220		
Height (mm)	1,008		
Volume (ltrs)	1,338		
<b>Weights</b>			
Kerb Weight (kg)	2,088	2,101	2,101
Gross Vehicle Weight (kg)	2,760		
Maximum Towing Capacity (braked trailer) kg**	3,200		
Maximum Towing Capacity (unbraked) kg	750		
Tow Ball Max Weight (kg)	128		
Tyres	P235 /75R 16"	P235 /75R 16"	P255 /60R 18"
Transmission	5-speed manual	Mercedes Benz 5-speed T-Tronic Auto	Mercedes Benz 5-speed T-Tronic Auto
4WD System	TOD		
Steering	Rack & Pinion Power Assisted		
Suspension (Front/Rear)	Double Wishbone with Coil Spring / Rigid 5 Link Coil Spring		
Brakes (Front/Rear)	Ventilated Discs/Solid Discs (ABS + ESP)		
Insurance Group	27	29	29
<p>Note * - A guide on fuel economy and CO<sub>2</sub> emissions which contains data for all new passenger car models is available at any point of sale free of charge. In addition to the fuel efficiency of a car, driving behaviour as well as other non-technical factors play a role in determining a car's fuel consumption and CO<sub>2</sub> emissions. CO<sub>2</sub> is the main greenhouse gas responsible for global warming.</p> <p>Note ** - At maximum towing weight the trailer must have remote braking capability.</p> <p>The manufacturer reserves the right to change specification at any time. Please check with your local dealer for the latest information and offers.</p>			



12 MY RODIUS SPECIFICATION & EQUIPMENT	270 S	270 ES	270 EX
<b>Convenience / Easy Operation</b>			
Electric windows (front & rear)	S	S	S
Cruise control	X	auto only	S
Reverse parking sensors	O	O	O
Leather steering wheel	S	S	S
Leather gear stick knob	S	S	S
Centre storage console - fixed	S	S	S
Seatback pockets	S	S	S
12V DC power outlets x 2	S	S	S
Pop-out cup holders	S	S	S
Height adjustable steering wheel	S	S	S
Battery saver	S	S	S
Foot parking brake	S	S	S
Headlight levelling system	S	S	S
<b>Exterior</b>			
Privacy glass - rear doors, quarter and tail-gate	O	S	S
16" steel wheels	S	X	X
16" alloys wheels	X	S	S
Roof fashion rails	S	S	S
<b>Safety</b>			
ABS (Anti-lock Breaking System) with EBD (Electronic Brake Distribution)	S	S	S
ESP (Electronic Stability Programme)	S	S	S
Door impact beams	S	S	S
Fog lights (front & rear)	S	S	S
Dual airbags (front)	S	S	S
Disc brakes on all 4 wheels	S	S	S
Power assisted steering	S	S	S
3-point seatbelts	S	S	S
High mounted brake light	S	S	S
Thatcham approved alarm & immobiliser	S	S	S
Remote - keyless entry	S	S	S
Rear wiper	S	S	S
Speed sensing door locks	S	S	S
Seatbelt reminder	S	S	S
<b>Climate and Heating</b>			
Auto climate control air conditioning	S	S	S
Rear vent duct for improved air circulation	S	S	S
Rear passenger compartment air conditioning system	S	S	S
<b>Audio System</b>			
Steering wheel audio controls	S	S	S
6 speaker dynamic audio system	S	S	S
Kenwood Single DIN MP3 CD & RDS Radio with iPod & Bluetooth connectivity	S	S	S
Kenwood 6.1" Touch-screen Garmin Sat Nav, MP3 CD/DVD with iPod & Bluetooth connectivity	O	O	O
<b>Seating and Comfort</b>			
Number of seats	7	7	7
Leather upholstery	X	S	S
Heated front seats	X	S	S
Manual height adjustable driver seat	S	X	X
Electric height adjustable drivers & passenger seat	X	S	S
Multiple seat variations including swivel (2nd row) and sliding functions	S	S	S
Front sun visors with passenger mirror	S	S	S
<b>Mechanical</b>			
Rear wheel drive (2WD)	S	S	X
Torque-On-Demand 4 Wheel Drive	X	X	S
5-speed manual transmission	S	O	X
Mercedes Benz 5-Speed T-Tronic Automatic Transmission	X	O	S
Double Wishbone front suspension system with coil springs	S	S	S
Standard = s Optional = o Not Available = x			



## 12 MY RODIUS TECHNICAL DATA

Model	270 S	270 ES	270 ES auto	270 EX auto
Engine Type	5 Cylinder - DOHC Common Rail			
Fuel	Diesel			
Exhaust System	Catalyst and Diesel Particulate Filter			
Emission standard	Euro IV			
Bore	86.2			
Stroke	92.4			
Total Displacement (cc)	2,696			
Compression Ratio	17.5:1			
Maximum Power Output (ps/rpm)	165 / 4,000			
Maximum Torque (Nm/rpm)	340 / 1,800 - 3,250			
Maximum Speed (mph)	105	105	108	108
CO2 Emissions (g/km)	223		247	250
<b>Fuel Consumption mpg (l/100km)*</b>				
Urban	25.2 (11.2)		22.1 (12.8)	21.8 (13.0)
Extra-urban	38.2 (7.4)		35.8 (7.9)	35.3 (8.0)
Combined	32.1 (8.8)		29.1 (9.7)	28.8 (9.8)
<b>Dimensions</b>				
Overall Length (mm)	5,125			
Overall Height (mm)	1,845			
Overall Width (mm)	1,915			
Wheel Base (mm)	3,000			
Front Track (mm)	1,590			
Rear Track (mm)	1,580			
Minimum turning Radius (m)	5.8			
Fuel Tank Capacity (Litres)	80			
<b>Boot Space</b>				
Length (mm)	680			
Width (mm)	1,275			
Height (mm)	1,130			
Volume (litrs)	875			
<b>Weights</b>				
Kerb Weight (kg)	2,106		2,134	2,244
Gross Vehicle Weight (kg)	2,750			2,850
Maximum Towing Capacity (braked trailer) kg**	2,500			2,850
Maximum Towing Capacity (unbraked) kg	750			750
Tow Ball Max Weight (kg)	140			
Tyres	P215 / 65R 16"	P215 / 65R 16"	P215 / 65R 16"	P225 / 65R 16"
Transmission	5-speed Manual		Mercedes Benz 5-speed T-Tronic Auto	Mercedes Benz 5-speed T-Tronic Auto
Steering	Rack & Pinion Power Assisted			
Suspension (Front/Rear)	Double Wishbone with Coil Spring / Independent Multi Link			
Brakes (Front/Rear)	Ventilated Discs / Solid Discs (ABS + ESP where applicable)			
Insurance Group	27	27	27	27

Note \* - A guide on fuel economy and CO<sub>2</sub> emissions which contains data for all new passenger car models is available at any point of sale free of charge. In addition to the fuel efficiency of a car, driving behaviour as well as other non-technical factors play a role in determining a car's fuel consumption and CO<sub>2</sub> emissions. CO<sub>2</sub> is the main greenhouse gas responsible for global warming.

Note \*\* - At maximum towing weight the trailer must have remote braking capability.

The manufacturer reserves the right to change specification at any time. Please check with your local dealer for the latest information and offers.